

Designed for Africa.

Built for Africa.

Priced for Africa.



# **IMAPCT Max G**

## **Key Features**



Our patented Super Glide Touch technology offers the most fluid writing experience



Never run out of space with our infinite whiteboard



M Series is powered by Android 11



Clevershare screen mirroring allows you to share images, video and audio



Remote management MDM



4GB RAM 32GB ROM



LYNX Whiteboarding made easy with a huge selection of pen & art tools to use



Cyber Essentials compliant



Connect your Cloud accounts to work from anywhere



Built-in array microphone all lessons can be recorded with sound



Huge connectivity including one of the latest USB-C ports with charging ability



2 x high powered 16W speakers for crystal clear sound quality

## Add a camera and an onboard PC to create a hybrid learning space or conduct online sessions



4K ultra-high definition Al camera, with a sleek eye-catching design and auto-tracking functionality.

This camera can be secured to the screen to function as a built-in camera



i5 or i7 Windows 10 Choose from 8GB or 16GB RAM Delivering a truly intuitive and collaborative experience, IMPACT Max G is an interactive screen with unlimited possibilities. Combines high-quality design, functionality, durability, native screen sharing and 4K resolution.



#### Quick Launch Menu for instant teaching tools

 Your most commonly used apps are available with one touch and are easily accessible via the Quick Launch Menu.



Now available in the Cleverstore

#### Software included at no extra cost





Your IT team can control, update and troubleshoot a fleet of Clevertouch screens without entering the classroom, ensuring your teachers always have the latest versions of apps and software when teaching.







Any device can download the Clevershare app and connect instantly by typing in the code on the Clevertouch screen. Clevershare App is free to download and compatible with Android, Windows, iOS, and Chrome devices.

LYNX Whiteboard is a free-to-use lesson building app, enabling student collaboration. The most dynamic, intuitive user experience of any whiteboard

Compatible with all platforms









## **IMPACT Max G** Specifications

## Display

| Diagonal Size          | 65" 4K, 75" 4K, 86" 4K                   |
|------------------------|--|
| Screen Type            | TFT LCD - Direct LED Backlight           |
| Aspect Ratio           | 16:9                                     |
| Display Colours        | 1.07 Billion (10 bit)                    |
| Resolution             | 4K UHD (3840x2160 @60Hz)                 |
| Response Time          | 5ms                                      |
| Refresh Rate           | 60Hz                                     |
| LCD Viewing Angle      | 178°                                     |
| Brightness             | 450 cd/m2                                |
| Contrast Ratio         | 65" 4000:1<br>75" 5000:1<br>86" 4000:1   |
| Dynamic Contrast Ratio | 65" 6000:1<br>75" 6000:1<br>86" 6000:1   |
| Glass Hardness         | Tempered Glass - Mohs Level 7            |
| Glass Thickness        | 3mm                                      |
| Glass Type             | Low Parallax 1mm Air Gap - Heat tempered |
| Main Board             | Amlogic T982 (SoC)                       |
| Life of Screen         | 50,000 Hours                             |
| NTSC                   | 65" 72%<br>75" 72%<br>86" 68%            |

## Interactivity

| Writing Technology          | High Precision IR Technology  |
|-----------------------------|---|
| Continuous Touch Points     | 20  |
| Touch Resolution            | 32768x32768px   |
| Response Time               | ≤5ms  |
| Touch Accuracy              | 1mm   |
| Minimum Object Size         | 3mm   |
| Touch Tool                  | Finger, passive pen, opaque objects   |
| Simultaneous Writing        | Yes   |
| Ink in Tools                | Yes - Lynx  |
| Pens Included               | 2   |
| Pen Type                    | Dual Recognition Stylus   Super Cool Stylus   |
| Pen Holder                  | Integrated magnetic pen holders   |
| Pen Tip Diameter            | 3mm/7mm   |
| Pen & Touch Differentiation | Yes   |
| Pen Identities              | 2   |
| Palm Rejection              | Yes   |
| Annotation Over Any Source  | Yes   |
| Classroom Essential Apps    | Includes Whiteboard, Annotate, Timer, Media<br>Players, Browser, PDF Reader, Screen Record,<br>Spinner, Voting, Maths Tools |
| Compatibility*              | Windows 10, Linux, Mac, Android, Chrome   |
| Tracking Rate               | ≥1m/s   |
| Scan Rate                   | 200Hz   |
| Gestures & Edge Swipes      | Windows Supported, OSX With additional Driver   |

## Connectivity

| OPS Slot                            | 1 - Intel Spec 80Pin   |
|-------------------------------------|--|
| HDMI In                             | 3  |
| HDMI Out                            | 1  |
| USB-A 2.0                           | 1  |
| USB Touch (type B)                  | 2  |
| USB A 3.0<br>(Faster Data Transfer) | 4  |
| USB C (Video, Audio & Touch)        | 1 (supports 65W charging)  |
| LAN In (RJ45)                       | 1 GB   |
| LAN Out (RJ45)                      | 1  |
| RS-232                              | 1  |
| Wake-on-Lan                         | Yes  |
| Wireless Adapter 2.0 + WAP          | Yes  |
| Clevertouch WiFi Module             | Yes  |
| Bluetooth                           | Yes 5.0  |
| Displayport In                      | No   |
| VGA In                              | 1  |
| Audio In                            | 1  |
| Optical Out                         | 1  |
| Headphone                           | 1 (3.5mm)  |
| Total touch out ports               | 2  |
| NFC Reader / Writer                 | Optional Extra   |
| Camera                              | Optional Extra   |
| Proximity Sensor                    | No   |
| Array Mic                           | 6  |
| WiFi                                | IEEE 802.11a/b/g/n/ac/ax with 2 × 2 MIMO (hotspot only) (both 2.4 and 5 GHz bands) |
| WiFi Speed                          | Capable of speeds up to 433Mbps  |

#### Computing

| Operating System    | Android 11    |
|---------------------|---------------|
| System Version      | LUX 11        |
| RAM                 | 4GB           |
| Internal Storage    | 32GB          |
| CPU                 | Quad Core A55 |
| GPU                 | Mali G52MP2   |
| Android Resolution  | 4K            |
| Android Module Slot | No            |
| System Architecture | 32-bit        |
| Integrated LUX UI   | Yes           |

#### Power

| Power Requirements             | 100-240V ~ 50/60Hz                              |
|--------------------------------|---|
| Power Consumption<br>(Standby) | ≤0.5W   |
| Ultra Quiet Fanless Design     | Yes   |
| Power Consumption              | 65" 178 Watts<br>75" 183 Watts<br>86" 195 Watts |

#### **IMPACT Max G** Specifications

#### Audio

| Dual Front Facing, Bass<br>Enhanced Speakers | 2 x 16W |
|--|---------|
| Audio Out                                    | Yes     |
| SPDIF / Fibre                                | Yes     |
| Sound Channel                                | 2       |
| Line Array Microphone                        | Yes     |
| Super Wide Sound                             | No      |

#### Operating & Storage Environment

| Operating Temperature | 0° to 40°         |
|-----------------------|-------------------|
| Storage Temperature   | -20° to 60°       |
| Operating Humidity    | 10% to 90% RH     |
| Storage Humidity      | 10% to 90% RH     |
| Altitude              | Below 5000 metres |

#### **Physical Spec**

| Panel Dimensions  | 65" 1489x906x87mm<br>75" 1709x1013x88mm<br>86" 1957x1168x88mm     |
|-------------------|---|
| Packed Dimensions | 65" 1628x208x1005mm<br>75" 1863x225x1148mm<br>86" 2110x225x1291mm |
| Net Weight        | 65" 35.9kg<br>75" 47.75kg<br>86" 62.9kg                           |
| Packed Weight     | 65" 46.25kg<br>75" 61.9kg<br>86" 80.6kg                           |
| VESA Mount Point  | 65" 600x400mm<br>75" 800x400mm<br>86" 800x600mm                   |

#### Inside your Clevertouch Box

| What's In The Box | (1) Clevertouch M Series 3       |  |
|-------------------|----------------------------------|--|
|                   | (1) 1.5M Length HDMI Cable       |  |
|                   | (1) 3M Length USB cable (A-B)    |  |
|                   | (1) 1.5M USBC Cable              |  |
|                   | (1) 3M Regional Power Cable      |  |
|                   | (1) Remote Control               |  |
|                   | (2) Batteries for Remote Control |  |
|                   | (2) Dual Recognition Stylus      |  |
|                   | (1) User Guide                   |  |
|                   | (1) Quick Install Guide          |  |
|                   | (1) Clevertouch WiFi Module      |  |

#### **Built-In Features**

| LYNX™ App With Online Lesson Planning             | Yes  |
|---|--|
| Clevershare™ Mirroring Any Device<br>To The Board | Free for the life of the screen (touch back) |
| Integrated Personalised Accounts Profiles         | Yes  |
| Cloud Account Access                              | OneDrive, Google Drive                       |
| Whiteboard Annotation                             | Yes  |
| Email Out Direct From Touchscreen                 | Yes  |
| Scan QR Code For Saving Work                      | Yes  |
| Remote Management Of Touchscreens (MDM)           | Yes - Five year license                      |

#### Warranty

Warranty term and upgrade options vary by region. Contact your local reseller or distributor for information

#### Compliance & Certification

| The print our own and    | PROPERTY OF THE PROPERTY OF TH |
|--------------------------|--|
| Regulatory Certification | CE, FCC, UL, Energy Star & EEC   |











#### Statement

Size and weight vary by configuration and manufacturing process, please refer to the actual product. The product images are for illustrative purposes only and may slightly differ in appearance, colour, size, etc. from the actual product. The description, illustrations, etc. in this document may subject to change in accordance with the latest product specification and performance. Should the above-mentioned change in the document become necessary, the document may be updated without written notice.